








CLP Regulation (EC) No. 1272 / 2008








on the classification, labelling and packaging of substances and mixtures












Rev. 2, September 2017




Classification			Labelling			
Hazard-		Abbreviation of classification (without H set)	Pictogram, code*	Signal -word	Code* Warning of danger	
Class	Category					Text
Explosives	Unstable explosive	Unst. Expl.	 GHS01	Danger	H200	Unstable explosive
	Division 1.1	Expl. 1.1			H201	Explosive; mass explosion hazard
	Division 1.2	Expl. 1.2			H202	Explosive; severe projection hazard
	Division 1.3	Expl. 1.3			H203	Explosive; fire, blast or projection hazard
	Division 1.4	Expl. 1.4	No Pictogram	Warning	H204	Fire or projection hazard
	Division 1.5	Expl. 1.5		Danger	H205	May mass explode in fire
	Division 1.6	Expl. 1.6		-	-	-
Flammable Gases (Including chemically unstable gases)	Category 1	Flam. Gas 1	 GHS02	Danger	H220	Extremely flammable gas
	Category 2	Flam. Gas 2	No Pictogram	Warning	H221	Flammable gas
	Category A	Chem. Unst. Gas A	No Additional Pictogram	No Additional Signal Word	H230	Additional hazard statement: May react explosively even in the absence of air
	Category B	Chem. Unst. Gas B	No Additional Pictogram	No Additional Signal Word	H231	Additional hazard statement: May react explosively even in the absence of air at elevated pressure and/or temperature
Aerosol	Category 1	Aerosol 1	 GHS02	Danger	H222	Extremely flammable aerosol
	Category 2	Aerosol 2		Warning	H223	Flammable aerosol
	Category 3	Aerosol 3	No Pictogram	Warning	H229	Pressurised container: May burst if heated
Oxidising Gases	Category 1	Ox. Gas 1	 GHS03	Danger	H270	May cause or intensify fire; oxidiser
Gases under Pressure ⁽¹⁾	Compressed gas	Press. Gas	 GHS04	Warning	H280	Contains gas under pressure; may explode if heated
	Liquefied gas				H281	Contains refrigerated gas; may cause cryogenic burns or injury.
	Refrigerated liquefied gas					
	Dissolved gas					

⁽¹⁾ = The hazard class "Gases under Pressure" is subdivided into 'Groups' (not 'Categories')

Classification			Labelling				
Hazard-		Abbreviation of classification (without H set)	Pictogram, code*	Signal-word	Code* Warning of danger		
Class	Category					Text	
Flammable Liquids	Category 1	Flam. Liq. 1		Danger	H224	Extremely flammable liquid and vapour	
	Category 2	Flam. Liq. 2			H225	Highly flammable liquid and vapour	
	Category 3	Flam. Liq. 3		Warning	H226	Flammable liquid and vapour	
Flammable Solids	Category 1	Flam. Sol. 1	GHS02	Danger	H228	Flammable solid	
	Category 2	Flam. Sol. 2		Warning			
Self-reactive substances and mixtures ⁽²⁾	Type A	Self-react. A		Danger	H240	Heating may cause an explosion	
		Org. Perox. A					
Organic Peroxides ⁽²⁾	Type B	Self-react.. B			H241	Heating may cause a fire or explosion	
		Org. Perox. B					
	Type C and D	Self-react. C&D		Danger	H242	Heating may cause a fire	
		Org. Perox. C&D					
	Type E and F	Self-react. E&F	GHS02	Warning			
		Org. Perox. E&F					
	Type G	Self-react. G	No Pictogram	No Signal word	-	No hazard statement	
		Org. Perox. G					
⁽²⁾ = Two separate hazard classes have the same categories (and are therefore grouped).							
Pyrophoric Liquids	Category 1	Pyr. Liq. 1		Danger	H250	Catches fire spontaneously if exposed to air	
Pyrophoric Solids	Category 1	Pyr. Sol. 1					
Self-heating substances and mixtures	Category 1	Self-heat. 1		GHS02	Danger	H251	Self-heating; may catch fire
	Category 2	Self-heat. 2	Warning		H252	Self-heating in large quantities; may catch fire	
Substances or mixtures which in contact with water emit flammable gases	Category 1	Water-react. 1	GHS02	Danger	H260	In contact with water releases flammable gases which may ignite spontaneously	
	Category 2	Water-react. 2		Danger	H261	In contact with water releases flammable gases	
	Category 3	Water-react. 3		Warning			
Oxidising Liquids ⁽²⁾ - Oxidising solids ⁽²⁾	Category 1	Ox. Liq. 1		Danger	H271	May cause fire or explosion; strong oxidiser	
		Ox. Sol. 1					
	Category 2	Ox. Liq. 2		GHS03	Danger	H272	May intensify fire; oxidiser
		Ox. Sol. 2					
	Category 3	Ox. Liq. 3		GHS03	Warning		
		Ox. Sol. 3					
⁽²⁾ = Two separate hazard classes have the same categories (and therefore grouped).							
Corrosive to metals	Category 1	Met. Corr. 1		Warning	H290	May be corrosive to metals	
			GHS05				

Classification			Labelling			
Hazard-		Abbreviation of classification (without H set)	Pictogram, code*	Signal -word	Code* Warning of danger	
Class	Category					Text
Acute Toxicity	Category 1	Acute Tox. 1	 GHS06	Danger	H300 H310 H330	Fatal if swallowed Fatal in contact with skin Fatal if inhaled
	Category 2	Acute Tox. 2			H301 H311 H331	Toxic if swallowed Toxic in contact with skin Toxic if inhaled
	Category 3	Acute Tox. 3	 GHS07	Warning	H302 H312 H332	Harmful if swallowed Harmful in contact with skin Harmful if inhaled
	Category 4	Acute Tox. 4				
Skin corrosion / irritation	Category 1 ⁽³⁾	Skin Corr. 1	 GHS05	Danger	H314	Causes severe skin burns and eye damage
	Category 1A	Skin Corr. 1A				
	Category 1B	Skin Corr. 1B				
	Category 1C	Skin Corr. 1C				
	Category 2	Skin Irr. 2	 GHS07	Warning	H315	Causes skin irritation
⁽³⁾ = Conditions in place for the use of Category I, please see Annex I to CL						
Serious eye damage / eye irritation	Category 1	Eye Dam. 1	 GHS05	Danger	H318	Causes serious eye damage
	Category 2	Eye Irr. 2	 GHS07	Warning	H319	Causes serious eye irritation
Sensitisation of the respiratory tract or the skin	Respiratory Sensitisers	Resp. Sens. 1 1A or 1B	 GHS08	Danger	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
	Skin Sensitisers		Skin. Sens. 1 1A or 1B	 GHS07	Warning	H317
	Category 1 ⁽³⁾ and Sub-Categories 1A and 1B					
⁽³⁾ = Conditions in place for the use of Category I, please see Annex I to CLP						

Classification			Labelling			
Hazard-		Abbreviation of classification (without H set)	Pictogram, code*	Signal -word	Code* Warning of danger	
Class	Category					Text
Germ cell mutagenicity	Category 1 and Sub-Categories 1A and 1B	Muta. 1, 1A or 1B	 GHS08	Danger	H340	May cause genetic defects ⁽⁴⁾
	Category 2	Muta. 2		Warning	H341	Suspected of causing genetic defects ⁽⁴⁾
Carcinogenicity	Category 1 and Sub-Categories 1A and 1B	Carc. 1, 1A or 1B		Danger	H350 H350i	May cause cancer ⁽⁴⁾ May cause cancer when inhaled
	Category 2	Carc. 2		Warning	H351	Suspected of causing cancer ⁽⁴⁾
(4) = State route of exposure if it is conclusively proven that no other routes of exposure cause the hazard.						
Reproductive toxicity	Category 1 and Sub-Categories 1A and 1B	Repr. 1, 1A or 1B	 GHS08	Danger	H360 ⁽⁵⁾	May damage fertility or the unborn child.
	Category 2	Repr. 2			H360F ⁽⁶⁾	May damage fertility.
			H360D ⁽⁶⁾	May damage the unborn child		
					H360FD ⁽⁶⁾	May damage fertility. May damage the unborn child.
					H360Fd ⁽⁶⁾	May damage fertility. Suspected of damaging the unborn child.
					H360Df ⁽⁶⁾	May damage the unborn child. Suspected of damaging fertility.
			No Pictogram	No Signal Word	H361 ⁽⁵⁾	Suspected of damaging fertility or the unborn child.
					H361f ⁽⁶⁾	Suspected of damaging fertility.
					H361d ⁽⁶⁾	Suspected of damaging the unborn child.
					H361fd ⁽⁶⁾	Suspected of damaging fertility. Suspected of damaging the unborn child.
	Additional category for effects on or via lactation	Lact.			H362	May cause harm to breast-fed children.
(5) = (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) (6) F = Fertility, D= Development (lowercase f, d = suspected effect)						
Specific target organ toxicity (single exposure)	Category 1	STOT SE 1	 GHS08	Danger	H370	Causes damage to organs ⁽⁷⁾
	Category 2	STOT SE 2		Warning	H371	May cause damage to organs ⁽⁷⁾
	Category 3	STOT SE 3	 GHS07	Warning	H335	May cause respiratory irritation
H336					May cause drowsiness or dizziness	
(7) = (or state all organs affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)						
Specific target organ toxicity (repeated exposure)	Category 1	STOT RE 1	 GHS08	Danger	H372	Causes damage to organs ⁽⁸⁾ through prolonged or repeated exposure ⁽⁹⁾
	Category 2	STOT RE 2		Warning	H373	May cause damage to organs ⁽⁸⁾ through prolonged or repeated exposure ⁽⁹⁾
(8) = (state all organs affected, if known) (9) = (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)						

Classification			Labelling			
Hazard-		Abbreviation of classification (without H set)	Pictogram, code*	Signal -word	Code* Warning of danger	
Class	Category					Text
Aspiration Toxicity	Category 1	Asp. Tox. 1	 GHS08	Danger	H304	May be fatal if swallowed and enters airways
Hazardous to the aquatic environment	Acute Category 1	Aquatic Acute 1	 GHS09	Warning	H400	Very toxic to aquatic life
	Chronic Category 1	Aquatic Chronic 1			H410	Very toxic to aquatic life with long lasting effects
	Chronic Category 2	Aquatic Chronic 2		No Signal Word	H411	Toxic to aquatic life with long lasting effects
	Chronic Category 3	Aquatic Chronic 3	No Pictogram	No Signal Word	H412	Harmful to aquatic life with long lasting effects
	Chronic Category 4	Aquatic Chronic 4			H413	May cause long lasting harmful effects to aquatic life
Hazardous to the ozone layer	Category 1	Ozone 1	 GHS07	Warning	H420	Harms public health and the environment by destroying ozone in the upper atmosphere

* = The Code for the Pictogram and the H-statement do not need to be included on the label.

Classification and Labelling is set of criteria and rules used to determine if a chemical can cause harm to human health and the environment and involves the identification and evaluation of the physical properties of a chemical, along with its health and environmental effects and then communicating those hazards via a label.

The CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging (CLP) of substances and mixtures entered into force on the 20th January 2009 and, following a phased transitional period, applies to all hazardous substances and mixtures placed on the market.

CLP incorporates the United Nations Globally Harmonised System of classification and labelling of chemicals (GHS) within Europe. GHS is updated on a biennial basis and subsequently these updates are included in CLP via an adaptation to technical progress. CLP is direct acting in all European Member States.

The Competent Authorities under the Chemicals Act 2008 and 2010 in Ireland for the CLP Regulation are the Health and Safety Authority, for industrial chemicals and the

Pesticides Registration and Control Division of the Department of Agriculture, Fisheries and the Marine, for plant protection products and biocides.

The National Poisons Information Centre at Beaumont Hospital is appointed as the body responsible for the receipt of information relating to emergency health response in accordance with Article 45 and Annex VIII of CLP.

There is a Chemicals Helpdesk to assist industry to meet their obligations under CLP.

Further sources of information, assistance and guidance can be found at the following:

HSA Chemicals website <http://www.hsa.ie/chemicals>

Chemicals Helpdesk email chemicals@hsa.ie
telephone 1890 289 389

ECHA website <https://echa.europa.eu/regulations/clp>

NPIC website www.poisons.ie

The content of this poster is aligned up to the 10th adaptation to technical progress (ATP) to CLP. The poster is subject to change as a result of further ATPs to CLP, please check the HSA and ECHA websites for updates. The HSA wish to acknowledge and thank the German Competent Authority, BAUA who provided the format on which this poster is based.