



Telephone: 1890 289 389 Website: <http://www.hsa.ie>

Public Information on a lower-tier establishment as required by Regulation 25

Information on lower-tier establishments

All establishments subject to the *COMAH Regulations 2015* have submitted a notification in a standard form to the Authority. This includes information on their location, the hazard categories of the dangerous substances present with an indication of their dangers, emergency action information and sources of additional relevant information.

General Duties on Operators

Operators have a general duty to identify all the major accident hazards in their establishment, take all necessary measures to prevent major accidents and to limit the consequences of such accidents to human health and the environment.

Public information for a lower-tier establishment

This establishment is subject to the COMAH Regulations 2015 and has submitted a notification to the Authority.

The following information, which has been extracted from the notification, fulfils the requirements of Regulation 25(3)(a).

The date of the most recent COMAH inspection (added by the Central Competent Authority) can also be found in the table below.



Telephone: 1890 289 389 Website: <http://www.hsa.ie>

Notification History

Kayfoam Woolfson

Version	Reason	Date
1.0	Mandatory notification	31/05/2016
2.0	Information update	29/11/2017
3.0	Information update	31/01/2019
4.0	Information update	28/01/2020



Telephone: 1890 289 389 Website: <http://www.hsa.ie>

Regulation 25 information for Kayfoam Woolfson

Operator Name	Registered Name	Kayfoam Woolfson
	Trade Name	Kaymed
Establishment Address	Address	Bluebell Industrial Estate, Bluebell Avenue, Naas Road
	County	Dublin
	Eircode	D12 PKR1
Notification Details	Tier	Lower-tier
	Activity	Plastic and rubber manufacture
Dangerous Substance information	Hazard Categories / Named Substances	E2 Hazardous to the Aquatic Environment, H1 Acute Toxic Cat. 1, P5c Flammable Liquids, Petroleum Products (Diesel, Gas Oil), Toluene Diisocyanate
	Dangerous Characteristics / Hazard Statements	H226, H330, H411
Emergency Information	How the public will be warned	Members of the public likely to be affected will be warned by the Gardaí or Fire Service.
	Behaviour to take in event of major accident	Advice about the action to take in the event of a major accident will be given by local radio
Inspection	Most recent COMAH Inspection (updated quarterly):	13 th December 2019
	Where more detailed information on inspection available	More detailed information about the inspection and the related inspection plan can be obtained upon request, subject to the requirements of Regulation 26, from: CCPS unit, Health & Safety Authority, Metropolitan Building, James Joyce Street, Dublin 1.
Information	Where further relevant information available	Further information about this establishment may be obtained, in the first instance, from the operator. www.kayfoam.com Subject to Regulation 26 ('Access to information and confidentiality') information may also be available from the Health and Safety Authority, on request, under the Access to Information on the Environment Regulations.