

Public Information on a lower-tier establishment as required by Regulation 25

Information on lower-tier establishments

All establishments subject to the *COMAH Regulations 2015* have submitted a notification in a standard form to the Authority. This includes information on their location, the hazard categories of the dangerous substances present with an indication of their dangers, emergency action information and sources of additional relevant information.

General Duties on Operators

Operators have a general duty to identify all the major accident hazards in their establishment, take all necessary measures to prevent major accidents and to limit the consequences of such accidents to human health and the environment.

Public information for a lower-tier establishment

This establishment is subject to the *COMAH Regulations 2015* and has submitted a notification to the Authority.

The following information, which has been extracted from the notification, fulfils the requirements of Regulation 25(3)(a).

The date of the most recent *COMAH* inspection (added by the Central Competent Authority) can also be found in the table below.

Notification History

MERCK Millipore Ltd.

Version	Reason	Date
1.0	Mandatory notification	31/05/2016
2.0	Information update	29/11/2017
3.0	Information update	31/01/2019
4.0	Information update	13/11/2019
5.0	Information update	29/09/2020
6.0	Information update	13/10/2021
7.0	Information update	02/03/2023

Regulation 25 information for MERCK Millipore Ltd.

Operator Name	Registered Name	MERCK MILLIPORE Ltd.
	Trade Name	Merck
Establishment Address	Address	Tullagreen, Carrigtwohill
	County	Cork
	Eircode	T45 KD29
Notification Details	Tier	Lower-tier
	Activity	General engineering, manufacturing and assembly / Manufacture of membrane and analytical devices.
Dangerous Substance information	Hazard Categories / Named Substances	H1 Acute Toxic Cat.1, H3 STOT Toxic Cat. 1, P1a Explosives, P5b Flammable Liquids, P5c Flammable Liquids, P8 Oxidising Liquids and Solids
	Dangerous Characteristics / Hazard Statements	H225, H226, H272, H301, H331, H370
Emergency Information	How the public will be warned	Members of the public likely to be affected will be warned by the Gardai or Fire Service.
	Behaviour to take in event of major accident	Other (specify)/Information will be provided to the Gardai and/or Fire Service by the Merck crisis management team.
Inspection	Most recent COMAH Inspection (updated quarterly):	23 rd June 2022
	Where more detailed information on inspection available	More detailed information about the inspection and the related inspection plan can be obtained upon request, subject to the requirements of Regulation 26, from: CCPS unit, Health & Safety Authority, Metropolitan Building, James Joyce Street, Dublin 1.
Information	Where further relevant information available	Further information about this establishment may be obtained, in the first instance, from the operator. http://ireland.merck.de/en/index.html Subject to Regulation 26 ('Access to information and confidentiality') information may also be available from the Health and Safety Authority, on request, under the Access to Information on the Environment Regulations.