

Public Information on a lower-tier establishment as required by Regulation 25

Information on lower-tier establishments

All establishments subject to the *COMAH Regulations 2015* have submitted a notification in a standard form to the Authority. This includes information on their location, the hazard categories of the dangerous substances present with an indication of their dangers, emergency action information and sources of additional relevant information.

General Duties on Operators

Operators have a general duty to identify all the major accident hazards in their establishment, take all necessary measures to prevent major accidents and to limit the consequences of such accidents to human health and the environment.

Public information for a lower-tier establishment

This establishment is subject to the COMAH Regulations 2015 and has submitted a notification to the Authority.

The following information, which has been extracted from the notification, fulfils the requirements of Regulation 25(3)(a).

The date of the most recent COMAH inspection (added by the Central Competent Authority) can also be found in the table below.



An tÚdarás Sláinte agus Sábháilteachta Health and Safety Authority

Notification History

Ecolab Ltd.

Version	Reason	Date
1.0	Mandatory notification	31/05/2016
2.0	Information update	31/01/2019
3.0	Information update	28/01/2020
4.0	Information update	21/12/2020
5.0	Information update	06/01/2022
6.0	Information update	02/03/2023
7.0	Information update	23/10/2023



An tÚdarás Sláinte agus Sábháilteachta Health and Safety Authority

Regulation 25 information for Ecolab Ltd.

Operator Name	Registered Name	Ecolab Ltd.
	Trade Name	Ecolab Ltd.
Establishment Address	Address	Forest Park, Zone C Mullingar Industrial Estate, Mullingar
	County	Westmeath
	Eircode	N91 E1WD
Notification Details	Tier	Lower-tier
	Activity	Other activity (General Chemicals manufacture)
Dangerous Substance information	Hazard Categories / Named Substances Dangerous Characteristics	E1 Hazardous to the Aquatic Environment, E2 Hazardous to the Aquatic Environment P5c Flammable Liquids, P6b Self-Reactive Substances and Mixtures and Organic Peroxides, P8 Oxidising Liquids and Solids H225,
	/ <u>Hazard Statements</u>	H226, H242, H272, H400, H410,
Emergency Information	How the public will be warned	The public likely to be affected will be warned by a phone call from the operator.
	Behaviour to take in event of major accident	Members of the public are advised to go indoors, stay in and tune to local radio.
Inspection	Most recent COMAH Inspection (updated quarterly):	20 th October 2023
	Where more detailed information on inspection available	More detailed information about the inspection and the related inspection plan can be obtained upon request, subject to the requirements of Regulation 26, from: CCPS unit, Health & Safety Authority, Metropolitan Building, James Joyce Street, Dublin 1.
Information	Where further relevant information available	Further information about this establishment may be obtained, in the first instance, from the operator. www.ecolab.com Subject to Regulation 26 ('Access to information and confidentiality') information may also be available from the Health and Safety Authority, on request, under the Access to Information on the Environment Regulations.